# Southwestern Willow Flycatcher and Yellow-billed Cuckoo NM Specific ESA Section 7 Consultation Guidelines







Vicky Ryan 505-761-4738 Vicky\_ryan@fws.gov

### **Consultation Basic Guidelines**

ALWAYS START OUT WITH IPaC TO GET THE MOST UP TO DATE SPECIES LIST (https://ecos.fws.gov/ipac/)

No effect >>> IF >>> project area/impacts from the project are:

- Outside of riparian habitat
- Farther than ¼ mile of a historically occupied flycatcher territory or
  - <u>2 miles</u> of historically occupied <u>cuckoo</u> territory and habitat not considered "suitable"

No Primary Constituent Elements present/impacted




#### **Consultation Basic Guidelines**

# Likely to Adversely Affect/Formal Consultation - if you would answer YES to any of these:

- Does your project remove or decrease value of habitat within 40 meters
  of a historically occupied flycatcher territory or 300 meters of
  historically occupied cuckoo territory (could be caused from hydrology
  changes, mechanical removal, etc)?
- Does your project remove critical habitat considered "suitable" or "moderately suitable" without active replacement of vegetation within 1-2 years regardless of occupancy status?

Does your project increase noise disturbance that begins after territory establishment?

 Will your project directly kill a bird, damage eggs or the nest, harass in some other way?



#### **Consultation Basic Guidelines**


# May Affect - Could go Formal or Informal – Call FWS if yes to any of these:

- Geographic Restriction Is project (or indirect effects of project) within <u>1/4 mile</u> of a historically occupied <u>flycatcher</u> territory - or - <u>2 miles</u> of historically occupied <u>cuckoo</u> territory?
- Seasonal Restriction Does project takes place from <u>April 15 to</u> <u>September 1<sup>st</sup></u>?
- Is project within critical habitat and have dense vegetation in a patch greater than 4 acres in area for flycatchers or 12 acres for cuckoos and width greater than 100 feet?

Underwear

IF in doubt, Always just give a call, email, fax, snail mail...

## **Conservation Measures**



- Work outside of April 15 to September 1<sup>st</sup> whenever possible
- Replace native plants at a 10:1 ratio
   (5:1 if original plants removed were
   particularly young, stressed, diseased,
   or in otherwise just bad shape)
- If removing vegetation (for invasive species management, creating backwater channels or embayments for example), areas should be replanted mechanically or by hand if not naturally replaced within 1-2 years
- Spoil piles should be placed outside of active floodway
- Develop a Flycatcher and/or Cuckoo specific Management Plan

#### Habitat Restoration Minimums – Beneficial MA, NLAA

- To create BREEDING flycatcher or cuckoo habitat:
- Must have at least 50% canopy cover (1133 whips per acre)
- Vegetation must be at least 10 feet tall

Depth to groundwater less than 6 feet (saturated or flooded areas

preferred)

#### Flycatcher Specifics:

- Vegetation = coyote willow and/or tree willow
- Must be a patch at least 4.5 acres in area and 100 feet wide.
- Within 50 meters of water or moist area.

#### Cuckoo Specifics:

- Vegetation = tree willow, cottonwood, NM olive
- Must be at least 12 acres in area and 100 feet wide
- "Edge effect" for perching on the fringe and finding prey in adjacent sparse areas

#### References & Additional Information/Details

- IPaC (<a href="https://ecos.fws.gov/ipac/">https://ecos.fws.gov/ipac/</a>)
- 2002 Flycatcher Recovery Plan
   (<a href="http://www.fws.gov/carlsbad/SpeciesStatusList/RP/20020830\_RP\_SW">http://www.fws.gov/carlsbad/SpeciesStatusList/RP/20020830\_RP\_SW</a>
   WF.pdf)
- Flycatcher & Cuckoo Listing/Proposal/Designation in Federal Register (<a href="https://ecos.fws.gov/tess\_public/profile/speciesProfile.action?spcode=B094">https://ecos.fws.gov/tess\_public/profile/speciesProfile.action?spcode=B06R</a>)
- Survey Protocol for flycatcher & cuckoo
   (<a href="http://pubs.usgs.gov/tm/tm2a10/pdf/tm2a10.pdf">http://pubs.usgs.gov/tm/tm2a10/pdf/tm2a10.pdf</a>)
   (<a href="http://www.fws.gov/southwest/es/arizona/Documents/SpeciesDocs/YellowBilledCuckoo/YBCU\_Survey\_Protocol\_FINAL%20DRAFT\_06-08-2015.pdf">http://www.fws.gov/southwest/es/arizona/Documents/SpeciesDocs/YellowBilledCuckoo/YBCU\_Survey\_Protocol\_FINAL%20DRAFT\_06-08-2015.pdf</a>)
- Siegle, R., D. Ahlers, and V. Ryan. 2013. Southwestern Willow Flycatcher Habitat Suitability 2012, Middle Rio Grande, New Mexico. Bureau of Reclamation, Technical Service Center, Fisheries and Wildlife Resources. Denver, CO.